

WIND chair family



QUALITY STANDARDS

- LST EN 1335 1:2000
- LST EN 1335 1:2000 / AC:2002
- LST EN 1335 2:2009
- LST EN 1335 3:2009
- LST EN 1335 3:2009 / AC:2009

TECHNICAL INFORMATION

Type

• Task chairs.

Seat

- Fixed or depth adjustable (60 mm run range);
- Lower part (inner and outer) made of PP (polypropylene);
- Foam made of polyurethane;
- Upholstered with fabric or leather look.

Backrest

- Frame made of black or white plastic;
- Upholstered with mesh.

Lumbar support

- Height adjustable (80 mm run range);
- Made of transparent silicon.



Armrests

- Fixed black plastic armrests;
- 2D (two directions) adjustable black plastic armrests;
- 2D (two directions) adjustable black plastic or white plastic armrests with polished aluminium lower part;
- 2D armrests adjustable in height (80 mm run range), pad moves forward and backward (55 mm range);
- 3D (three directions) adjustable black plastic armrests;
- 3D (three directions) adjustable black plastic or white plastic armrests with polished aluminium lower part;
- 3D armrests adjustable in height (80 mm run range), adjustable in width (37 mm run range), pad moves forward and backward (55 mm range);
- All armrests upper part coated with PU (polyurethane) pads, soft touch.

Headrest

- Frame made of nylon plastic;
- Soft part made of polyurethane;
- Height adjustable (60 mm run range);
- Upholstered with fabric or leather look.

Mechanism

- Weight-sensitive synchronized mechanism:
- 3 backrest locking positions by push button;
- Height adjustment by side lever;
- Different mechanisms options can be ordered via customer support service.

Gas lift

- Chromed or black colour;
- 130 mm run range.

Bases

- Five-star polished aluminium base;
- Five-star black or white plastic base with fiberglass;
- External Ø700 mm.

Castors

- Rubber free wheel castors for hard floor. Ø65 mm:
- PA (polyamide) free wheel castors for soft floor, Ø65 mm.


MATERIALS

- Fabric: BONDAI, BERTA, ERA, XTREME PLUS, SYNERGY, VELITO, STEP/STEP Melange;
- Leather look: RNN;
- Mesh fabric: MM;
- Knitted mesh fabric: KM;
- Silicon (lumbar support): X2 (transparent).


GUARANTEE

• 5 years

RANGE







420-232*

^{*}Height approved during certification.



ORDERING EXAMPLE

